Application No: 10580044   Version No: 1.0

            Input Set:

            Output Set:

                    Started: 2008-06-12 16:17:54.356
                   Finished: 2008-06-12 16:17:55.036
                    Elapsed: 0 hr(s) 0 min(s) 0 sec(s) 680 ms
            Total Warnings: 11
              Total Errors: 0
      No. of SeqIDs Defined: 11
         Actual SeqID Count: 11

Error code   Error Description

W   213   Artificial or Unknown found in <213> in SEQ ID (1)

W   213   Artificial or Unknown found in <213> in SEQ ID (2)

W   213   Artificial or Unknown found in <213> in SEQ ID (3)

W   213   Artificial or Unknown found in <213> in SEQ ID (4)

W   213   Artificial or Unknown found in <213> in SEQ ID (5)

W   213   Artificial or Unknown found in <213> in SEQ ID (6)

W   213   Artificial or Unknown found in <213> in SEQ ID (7)

W   213   Artificial or Unknown found in <213> in SEQ ID (8)

W   213   Artificial or Unknown found in <213> in SEQ ID (9)

W   213   Artificial or Unknown found in <213> in SEQ ID (10)

W   213   Artificial or Unknown found in <213> in SEQ ID (11)

<210>   1
<211>   31
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   experimental model for verifying assay system: Synthetic
        Thrombin aptamer

<400>   1
cactggtagg ttggtgtggt tggggccagt g   31

<210>   2
<211>   58
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   experimental model for verifying assay system: Synthetic
        Thrombin-invA aptamer

<400>   2
cactggtagg ttggtgtggt tggggccagt gggcatcaat actcatctgt ttaccggg   58

<210>   3
<211>   27
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   experimental model for verifying assay system: Synthetic
        target DNA derived from Salmonella invA gene

<400>   3
cccggtaaac agatgagtat tgatgcc   27

<210> 4
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> experimental model for verifying assay system: Synthetic
       control DNA used in detection of Salmonella invA gene

<400> 4
gaatccggta ctggctaaga caactgt   27

<210> 5
<211> 58
<212> DNA
<213> Artificial Sequence

<220>
<223> experimental model for verifying assay system: Synthetic
       Thrombin-SARS aptamer

<400> 5
cactggtagg ttggtgtggt tggacgacga attcatgatc acgtccttgg ggccagtg   58

<210> 6
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> experimental model for verifying assay system: Synthetic
       target DNA derived from SARS virus gene

<400> 6
tgatcatgaa ttcgt   15

<210> 7
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> experimental model for verifying assay system: Synthetic
       control DNA used in the detection of SARS virus gene

<400> 7
attgctatcg tacat   15

<210> 8
<211> 56
<212> DNA
<213> Artificial Sequence

<220>
<223> experimental model for verifying assay system: Synthetic
       Thrombin-ATP aptamer

<400> 8
cactggtagg ttggtgtggt tctgggggag tattgcggag gaagttgggg ccagtg   56

<210> 9
<211> 67
<212> DNA
<213> Artificial Sequence

<220>
<223> experimental model for verifying assay system: Synthetic
      Thrombin-invA- 3'5' aptamer

<400> 9
actcatctgt ttaccgggca ctggtaggtt ggtgtggttg gggccagtgc ttcaaatcgg   60
catcaat   67

<210> 10
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> experimental model for verifying assay system: Synthetic
      target nucleotide sequence InvADNA

<400> 10
cccggtaaac agatgagtat tgatgccgat ttgaag   36

<210> 11
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> experimental model for verifying assay system: Synthetic
      control DNA used to detect thrombin activity

<400> 11
attgtacttg gactgtgcat tagcatgtta cagtca   36